

What Is Claimed Is:

1. An electronic equipment system comprising:

5 a remote controller for transmitting a remote control signal containing a command signal and a time data signal subsequent to said command signal; and

an electronic equipment for receiving said remote control signal to correct time information,
10 said electronic equipment comprising determining means for determining whether to carry out time correction or not on the basis of the state of receiving said command signal.

2. The electronic equipment system according to
15 Claim 1, wherein said remote control signal contains two identical command signals and said time data signal, and said determining means determines, when the second command signal is received in order, to carry out the time
20 correction, while it determines, when the second command signal is not received in order, not to carry out the time correction.

3. The electronic equipment system according to Claim 1, wherein said electronic
25 equipment has a first mode of carrying out no time correction and a second mode of carrying out

the time correction, wherein said determining means determines, in case of the first mode being active, not to carry out the time correction, whereas it determines, in case of the second mode being active, whether to carry out the time correction or not on the basis of the state of receiving said command signal.

4. The electronic equipment system according to Claim 2, wherein said electronic equipment has a first mode of carrying out no time correction and a second mode of carrying out the time correction, wherein said determining means determines, in case of the first mode being active, not to carry out the time correction, whereas it determines, in case of the second mode being active, whether to carry out the time correction or not on the basis of the state of receiving said command signal.

5. The electronic equipment system according to Claim 1, wherein said electronic equipment is a camera.

6. A time correction method of correcting the time of an electronic equipment based on a remote control signal transmitted from a remote controller, comprising the steps of:

a transmitting step of transmitting a

remote control signal containing a command signal and a time data signal subsequent to said command signal from said remote controller to said electronic equipment; and

5 a determining step of determining whether said electronic equipment is to carry out time correction or not, on the basis of the state of receiving said command signal transmitted in said transmitting step.

10 7. The time correction method according to Claim 6,

 wherein said remote control signal contains two identical command signals and said time data signal, and

15 wherein the time correction is determined to be carried out, in said determining step, when the second command signal is received in order, while the time correction is determined not to be carried out, in said determining step, when the
20 second command signal is not received in order.

 8. The time correction method according to Claim 6,

 wherein said electronic equipment has a first mode of carrying out no time correction and
25 a second mode of carrying out the time correction, and

wherein the time correction is determined not to be carried out, in said determining step, when said electronic equipment is in the first mode, whereas there is determined whether said electronic equipment is to carry out the time correction or not on the basis of the state of receiving said command signal, when said electronic equipment is in the second mode.

9. The time correction method according to Claim 7,

wherein said electronic equipment has a first mode of carrying out no time correction and a second mode of carrying out the time correction, and

wherein the time correction is determined not to be carried out, in said determining step, when said electronic equipment is in the first mode, whereas there is determined whether said electronic equipment is to carry out the time correction or not on the basis of the state of receiving said command signal, when said electronic equipment is in the second mode.

10. The time correction method according to Claim 6, wherein said electronic equipment is a camera.